



AIHA Laboratory Accreditation Programs, LLC
acknowledges that
Missouri Department of Health State Public Health Laboratory
101 North Chestnut, Jefferson City, MO 65102-0570
Laboratory ID: LAP-100006

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs, LLC (AIHA LAP) accreditation to the ISO/IEC 17025:2017 international standard, General Requirements for the Competence of Testing and Calibration Laboratories in the following:

LABORATORY ACCREDITATION PROGRAMS

- | | | |
|-------------------------------------|-----------------------------------|---|
| <input type="checkbox"/> | INDUSTRIAL HYGIENE | Accreditation Expires: |
| <input checked="" type="checkbox"/> | ENVIRONMENTAL LEAD | Accreditation Expires: January 01, 2026 |
| <input type="checkbox"/> | ENVIRONMENTAL MICROBIOLOGY | Accreditation Expires: |
| <input type="checkbox"/> | FOOD | Accreditation Expires: |
| <input type="checkbox"/> | UNIQUE SCOPES | Accreditation Expires: |
| <input type="checkbox"/> | BERYLLIUM FIELD/MOBILE | Accreditation Expires: |

Specific Field(s) of Testing/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached Scope of Accreditation. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2017 and AIHA LAP requirements. This certificate is not valid without the attached Scope of Accreditation. Please review the AIHA LAP website (www.aihaaccreditedlabs.org) for the most current Scope.

Cheryl O. Morton

Cheryl O Morton
 Managing Director, AIHA Laboratory Accreditation Programs, LLC